

.....

- ✧
- ✧
- ✧
- ✧
- ✧
- ✧

IEC61010

100

400V
50Hz
0.030 2000

5A

0.030-2.000 ± 0.5%

0-20.00 ± 0.5%

0-200.0 ± 0.5%

0-2000 ± 0.5%

0.001

2000W

50Hz 50V

23 ± 5 70%rh (20 ± 10% 10V)

AC 220V 10A (50Hz)

1A 2A 3A 4A 5A(5)

	800mm 2 200mm 2
	1 /
	57*40mm
	100 " !" " , !"
	" OL"
	: <110W
	2000W
	27 kg
	5.5kg
	-10 40 80%rh
	-20 60 70%rh
	10M (500V)
	AC 3700V/rms()
	IEC61010-4-3 1V/m
	IEC61010-1 IEC1010-2-31 IEC61557-1,5 IEC60529(IP54) 2 CAT 300V

1. LCD
2. C1
3. P1
4. P2
5. C2
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.

1

)r%\$g
	%5

AC 220V/50Hz

" "

" "

2

	7% 7& %) aa& D% D&
	% \$aa&
)5

G—
d_{CE}—


C—


P—

D—

d_{PE}—

	1			d_{CE}		d	4
~ 5			$2d$		$3d$	P	
	d_{PE}	$0.6d_{CE}$					
	2		d_{CE}	$3D-4D$	d_{PE}	d_{CE}	

3.2
"  "

"  "

S— G— C—
P_c P_d— R_m—

" "

" "

	&\$\$\$K
--	----------

C1 20

R1 20

'
R2

1

1

1

