

SG3025

	2
	3
	3
	4
	6
	6
	7
1	7
2	7
3	7
4	7
5	8
6	GUARD	9
7	PI (DAR)	10
8	11
9	11
10	/	12
11	/	12
	12
	13

I EC61010



"

"

,



LCD

5

100 2500V,

0.01M

200G

0 1000V,

0 750V

	100V(± 20%)	0 20M	± 3% dg ± 5dgt	0.01M
		20 200M		0.1M
		200 100M		1M
	250V(± 20%)	0 20M	± 3% dg ± 5dgt	0.01M
		20 200M		0.1M
		200 250M		1M
	500V(± 20%)	0 20M	± 3% dg ± 5dgt	0.01M
		20 200M		0.1M
		200 500M		1M

	1000V(± 20%)	0 20M	± 3% dg± 5dgt	0.01M
		20 200M		0.1M
		200 1000M		1M
	2500V(± 20%)	0 2000M	± 3% dg± 5dgt	1M
		2000M 20G	± 5% dg± 10dgt	0.01G
		20G 200G	± 10% dg± 10dgt	0.1G

	DC 0.0V 1000V	± 1.5% dg± 3dgt	0.1V
	AC 0.0V 750V	± 1.5% dg± 3dgt	0.1V

	23 ± 5 75%h
	DC 9V 6 LR14 100
	250; 500; 1000; 2500; 5000
	± 20%FS
	2mA
	1uF

4 LCD

LED

LCD

108mm× 65mm

240mm× 188mm× 85mm

1

1

1

2 /

7 /

AC600V

500 " MEM

" FULL"

" MR"

" OL"

" APC"

15

%

OFF

" 5DC" 15

OFF

&

LCD

" "

,

	%\$\$\$J
--	----------

V

V ~

V

COM

LCD

)

: I 5F8



%\$

#

" <C@B "

" : | @@ "

1258M

" <C@B "

3

%%

#

" <C@B "

(3)

" AF "

1

" " " " " "

10

" <C@B "

3

6

LCD

" BI @@ "

	1
	3 , 1
	1.5V 6
	1
	1
	1