

SG6416

.....3
.....4
.....3.....3.....3.....3.....

SG6416

31

1

2

| | |
|--|---------------------|
| | |
| | 0.010 - 1500 |
| | 0.000mA- 40.0A |
| | 0.001 |
| | 0.001mA |
| | 999 |
| | USB |
| | 1s |
| | 50mA |
| | 6 |
| | 1.5m(USB) |
| | |
| | " -- -- --" AL LCD |
| | 1-199 1-499mA |
| | 3.7VDC 2600mAh |
| | 5 30S |
| | -20 -55 10 RH-90 RH |
| | 47mmx 28.5mm |
| | 32mm |
| | 32mm |
| | 1120g |
| | 260mmx 90mmx 66mm |
| | |
| | CT |
| | |
| | 0.5 |
| | 1KHz |
| | 50/60Hz |

1.

32mm

2 USB /

--

0.58

" "

1

" OL "

" 0.00mA "

" Er "

+

2

3

" OL "

4

100

2

" "

30

" -- "

5

HOLD

HOLD

HOLD

" "

3

1

5

MODE

+

2

6

MODE

+

3

MODE

+

1

7

4.

"

" 0.00mA"

1

+

" OL

1

SG6416

E

E

I

E

I

$R=E/I$

R

2

I

I_1

I_1

I

.

n

USB

1
1
1
1
1
1
1
1